
Receiving Report

Da	ate: 14-8-1	8	٠.	Batch No:	130	126.	
Sı	upplier: B/E		•	Dart P/O:	<u> 25</u>	101	
Packing Slip: Invoice: Receipt: New Supplier	Yes No No Cash Cr No	- Z	Waybill At	Complete: pection	Yes	No No No	N/A N/A N/A
Discrepancies Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number
						Rejouted	Number
		* .					
·*.				Initials of	Receiver	QC12	P





Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO25401

Purchase Order Date 8/15/2014 PO Print Date 8/15/2014

Page Number 1 of 2

Order From:

B/E AEROSPACE INC 88289 EXPEDITE WAY CHICAGO, IL 33172 USA VU-BEA001

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

305-925-2600

Buyer

Michael Gregoire

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

EXW – (Ex Works)

Ship Via

FedEx Overnight collect

Ship Acct

Line Nbr	Vendor Part Number Line Comments	Description/ Mfg ID	Req Date/ CD Taxable Promise Date	Req. Qty/ Unit of Measure	PO Unit Price	Extended Price
	Delivery Comments		_		,	
1	MS27039C1-20	Screw	8/15/2014	50.00	\$0.84	\$42.
			Yes 8/19/2014	Each		
				,	Line Total:	\$42.
2	MS27039C1-13	Screw	8/15/2014	50.00	\$0.70	\$35.
			Yes 8/19/2014	Each		
		ť	•	. C .	Line Total:	\$35.

SP14-8-18

Note:



B/E Aerospace, Inc.

CONSUMÁBLES MANAGEMENT

Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.beconsumables.com Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001 Wire Instructions: B/E Aerospace Consumables Management • JPMorgan Chase Bank New York ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER **HVVBW3**

PAGE 1

Vice President of Quality

50HD IQ:09

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY, ON CANADA K6A 1K7

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY, ON

CANADA K6A 1K7

SHIP TO:

ORDER N	0.		DATE	SHIP VIA			TERMS		SHIPPING TERMS
PO25	401		08/15/14	FEDX INTL I	P1 COLL		NET 45		FOB-MIAMI
ITEM NO.	QUANTITY ORDERED		PART HUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
1		50	MS27039C1-20 Description SCREW ECCN +9A991 MFR: 3V FASTENERS	<i>"</i>	0.840	EA	0	50	42.00
			CTRL#: 2011I18804 LOT#: 882214 LOT QTY: 50 Country of Origin	USA					
2	,	50	MS27039C1-13 Description SCREW ECCN :9A991 MFR: AEROTECH FAST		0.700	EA	0 .	50	35.00
			CTRL#: 2013E16089 LOT#: A-6368 LOT QTY: 50	2000000 A20000					(5/18
			Country of Origin These commodities,		or softw	vare	were		11/8/18
			exported from the with the Export Ad Diversion contrary	ministration	n Regulat	ion	s •		
	,,							***CONTI	NUED***
	James .								
				UED MUST HAVE	DDIOD AUTHO	DIZA	TION BY B/E AES	POSPACE	***
	MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY B/E AEROSPACE								

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: 10000 NW 15 TERRACE, MIAMI, FL 33172

MATERIAL CERTIFICATION: B/E AEROSPACE, INC. ("B/E AEROSPACE") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL WORKMANSHIP AND THE SPECIFIC WARD FOR MACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF B/E AEROSPACE IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT OF ANY ITEM WHICH IS REJECTED BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL CONSTITUTE SATISFACTION OF ALL LIABILITY B/E AEROSPACE MAY HAVE IN CONNECTION WITH SUCH BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL CONSTITUTE SATISFACTION OF ALL LIABILITY B/E AEROSPACE MAY HAVE IN CONNECTION WITH SUCH DAMAGES. FURTHER, B/E AEROSPACE MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.



PACKING SLIP



B/E Aerospace,

Page: 1 of 1

CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191 Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR www.beconsumables.com

Shipped From: 10000 NW 15 TERRACE, MIAMI, FL 33172

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO25401

QUANTITY U/M PART-NUMBER

50 BA MS27039C1-13

CCODE MPR DATE EXP DATE

A-6368

Vice President of Quality

Inv # 08/15/14





ONE RIDGE ROAD, PUTNAM, CT 06260

Phone: + 860-928-6300 Fax: +860-928-6340

CAGE CODE# OTD46 sales@aerotechfasteners.us

MANUFACTURERS CERTIFICATE OF COMPLIANCE

Date: November 12, 2012

Customer:

B/E AEROSPACE INC

Order Number:

0LHN18

Part Number:

MS27039C1-13

Lot Number:

A-6368

Shipment Number:

Rev:

CONFORMS TO REV 3

Quantity Shipped: 25,000

UNIT: EA

DOM:

07/13/09

Procurement Specification: NASM7839

MFG: AEROTECH FASTENERS - Manufactured in the U.S.A.

Mechanical Test

Test Type:

TENSILE

Per: MIL-STD-1312, test method: 8 Unit of Measure:

How many samples tested: 8

TEST RESULTS

Minimum Requirement: 2500

Minimum:

3611

Maximum:

3711

Average:

3673

ADDITIONAL TESTS/COMMENTS

THREADS: 0.190-32, UNF-3A

Fed-Std-H28/20, System 21 X 22

FINISH: Passivate, AMS 2700 method 1:

TY.6 ___ TY.8 _**X**_

ADDITIONAL DOCUMENTATION ATTACHED

RAW MATERIAL CERTIFICATION:

A286

Composition: **HEAT TREAT CERTIFICATION**

OTHER CERTIFICATIONS SUPPLIED

AMS5732

Company: per: AMS2759, REF: MIL-H-6875

Heat Number: QH546/15

CENTRAL WIRE

Country of Origin, FRANCE

Raw Material is DFAR 252.225-7014 Alt1 (.872-1 compliant)

CONFORMS TO 252.225-7009

Aerotech Fasteners Inc. hereby certifies that the parts contained in this shipment are in conformance with all applicable drawings and specifications. Evidence in the form of suppliers' certificate and/or chemical and physical test reports are on file and available for review at the customers' request. Aerotech Fasteners, Inc. will not be responsible for any unauthorized modifications made to any parts.

Quality Control, Aerotech Fasteners

Melissa Morency



B/E Aerospace, Inc.

Page: 1 of 1

CONSUMABLES MANAGEMENT

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.beconsumables.com

Shipped From: 10000 NW 15 TERRACE, MIAMI, FL 33172

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to B/E Aerospace, Inc.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO25401

LNE# QUANTITY U/M PART-NUMBER

50 PA MS27039C1-20

CUST REF#

LOT-NUMBER

MANUPACTURER

CCODE MFR DATE EXP DATE

882214

3V FASTENERS

1ER65

Jason Lewis

Vice President of Quality

Inv # 08/15/14

1



Melting Source:

Work Order No:

CERTIFIED TEST REPORT

Customer:

MONOGRAM AEROSPACE FASTENERS

3423 SOUTH GARFIELD AVENUE LOS ANGELES, CA 90040-3103

Heat No:

PVD2622

PERRYMAN COMPANY

077726

Date: Weight: 04-04-14

Customer Order No: Customer Order Date:

128519

04-02-14

MMS 620 REV. K, AMS 4928T

Product: Condition: Ti-6AI-4V .165/.166" DIA. 3X COIL **ANNEALED 1400 F - 2 HOURS**

Part No:

RMC4006

AMS 4967K

Chemistry: Wt %

Specification:

ASTM E 1447: Post processing Hydrogen Determination

H: .0017

Metallographic Examination:

ASTM E 407:

Microstructure - Equiax alpha-beta

ASTM E 407:

Surface Contamination -

No alpha case

Mechanical Properties:

Tensile Results - ASTM E8

chanical Properties.		10113110 1/6	Elongation 4D % 18	•
	Tensile	.2% Yield	Elongation	Reduction
	Strength	Strength	4D	Of Area
Condition	ksi	ksi	%	%
Annealed 1400 F - 2 hours	147.2	127.9	18	46
Solution treated and aged	180.2	164.5	13	54

Solution treated and aged 1750 F - 1 hour - WQ 1000 F - 4 hours - AC

164.5 13 MAF LAB NUMBER

DFAR compliant to sections 252.225.7002,252.225.7008, and 252.225.7009.

This is to certify that all test results conform to the specifications listed above and that all tests required were performed by Perryman Company. Attached is a copy of the Ingot Chemistry.

The test results relate only to the lots tested and are contained in the records of Perryman Company. The Certified Test Report cannot be reproduced except in full,

Does 01/04/14

without written approval.

Zachary S. Dragan Laboratory Manager



Perryman company'

625 Technology Dr., Coal Center, PA 15423 USA phone: 724-746-9390 Fax: 724-746-9392 **CERTIFICATE OF TES** For TITANIUM INGOT

WORK ORDER 013111

<.001

.0005

HEAT NUMBER **PVD2622**

Perryman Company 213 Vandale Dr Houston, PA 15342

QUANTITY **PCS** 12425 Lbs DESCRIPTION Grade: Ti6Al/4V Size: 30"

6.09

.15

4.00

SPECIFICATION CAPABILITY

P-101 Rev 5

Form: Ingot

Chemistry (WT%) Top Ru В ¥ Si Cu Pd Al Fe C N <.001 <.001 <.002 <.001 .0004 .005 4.03 .019 .006 .020 .16 6.03 .14 Chemistry (WT%) Bottom Rn В H Y Pd Si Al C Fe N <,001 0 <.001

.004

<.002

Comments

.018

Melting Process:

.008

EBCHR-VAR

.15

Calculated Beta Transus T/B: 1805F/1813F

.019

Calculated Beta Transus T/B C: 985C/989C

Residual Elements, total < .3% Residual Elements, each < .1%

Balance Titanium.

Melted in the United States of America.

The material is free of radioactive and mercury contamination.

Oxygen/Nitrogen tested in accordance with ASTM E1409.

Carbon tested in accordance with ASTM E1941.

Hydrogen tested in accordance with ASTM E1447.

B, Y, Pd, Ru tested BY ICP. Metallics by Spark-AES.

MAF LAB NUMBER

Materials Testing Laboratory

Page 1 of 1

This material conforms to the chemistry and quality system requirements of the specifications referenced. The results relate only to the lot tested and the results are contained in the records of Perryman Company.

The certificate of test cannot be reproduced except in full without the written approval of the laboratory, and the recording of false, fictitious, or fraudulent statements or entries on this document may be punished as a felony under federal law.

Terrance J. Marth Laboratory Supervisor

Warehouse 2: Parts Falling below a 6 Month Trend Quantity

Part No.

2MAFFF-V06-05

Description

ASP FASTENER, MONOGR

Quantity, UOM

Pcs

STOCK

Page:

1

Certification:

This is to certify that the product supplied as indicated herein is in conformance with the requirements of your P. O. and applicable drawings and specifications.

DL

Quality Assurance Director

Bill To: 537 B/E AEROSPACE, INC CONSUMABLES MANAGMENT 10000 NW 15TH TERRACE MIAMI, FL 33172 UNITED STATES OF AMERICA

Ordered By: RODRIGO RODRIGUEZ

Monogram Aerospace Fasteners

A TRIMAS COMPANY
3423 South Garfield Avenue
P.O. Box 6847

Los Angeles, California 90022-0547 Phone: (323) 722-4760 • FAX: (323) 721-1851

> Ship To: 537*9 B/E AEROSPACE, INC CONSUMABLES MANAGEMENT 9835 NW 14TH ST MIAMI, FL 33172 UNITED STATES OF AMERICA

Freight:

Terms: NET 60

Order Date Order #	Cust PO	Ship Via:	Weight Pkgs #
04-16-14 59672	0TKP09	SEE BELOW	3
	cription REV. R"	Sell Sell Qty To Stk UMShip UM EA 500 EA Due Date: 08-05-14	Bin Stock Oty Backorder Loc To Ship Oty/UM Promise Date: 08-06-14
INSPECTED IN ACCORDANCE	WITH MAF 203		
Allocated Lot	Bin Loc	Stock Qty Backorder	
C043115A	B/E	500	TANG - 10 200 A

CUST PN:

- ** Line Item Comments **
 DFAR 252.225-7009 COMPLIANT
 RAW MATERIAL AND PROCESS CERTS REQUIRED
- ** Sales Order Comments **
 SHIPMENT RELEASE# YGT70TKP09

*** SHIPPING DEPT ***

SHIP: OVERNGIHT AT MONOGRAM'S EXPENSE

SHIP PER SCHEDULE ONLY

BARCODE LABELS REQUIRED (SEE SALES FOR LABELS) MARK CARTONS WITH PO, QTY AND

Certification:

This is to certify that the product supplied as indicated herein is in conformance with the requirements of your P. O. and applicable drawings and specifications.

DL

Quality Assurance Director

Bill To: 537
B/E AEROSPACE, INC
CONSUMABLES MANAGMENT
10000 NW 15TH TERRACE
MIAMI, FL 33172
UNITED STATES OF AMERICA

Ordered By: RODRIGO RODRIGUEZ

Monogram Aerospace Fasteners

A TRIMAS COMPANY
3423 South Garfield Avenue
P.O. Box 6847
Los Angeles, California 90022-0547
Phone: (323) 722-4760 • FAX: (323) 721-1851

Ship To: 537*9 B/E AEROSPACE, INC CONSUMABLES MANAGEMENT 9835 NW 14TH ST MIAMI, FL 33172 UNITED STATES OF AMERICA

Freight:

Terms: NET 60

Order Date Order #		Ship Via:	Weight Pkgs #
04-16-14 59672	0TKP09	SEE BELOW	

No Number Description UM ...Ship... UM Loc To Ship Qty/UM
PART NUMBER

-*** QC DEPT *** MFR TO THE LATEST REVI

COLDEDA OF OPTOTAL IICA

COUNTRY OF ORIGIN: USA

ECCN: EAR 99

SCHED B: 7318.23.0000 (STEEL) SCHED B: 8108.90.8000 (TITANIUM) SCHED B: 7616.10.3000 (ALUMINUM)

CLASS 1 OZONE DEPLETING SUBSTANCES WERE NOT USED DURING THE DESIGN, TEST, MANUFACTURE, INTEGRETION AND ASSEMBLY, HANDLING, TRANSPORTATION, OPERATIONS, MAINTENANCE OR DISPOSAL OF THE HARDWARE COMPONENTS DELIVERED TO THIS ORDER.

Page:

3

Certification:

This is to certify that the product supplied as indicated herein is in conformance with the requirements of your P. O. and applicable drawings and specifications.



Quality Assurance Director

Bill To: 537 B/E AEROSPACE, INC CONSUMABLES MANAGMENT 10000 NW 15TH TERRACE MIAMI, FL 33172 UNITED STATES OF AMERICA

Ordered By: RODRIGO RODRIGUEZ

Monogram Aerospace Fasteners

A TRIMAS COMPANY 3423 South Garfield Avenue P.O. Box 6847 Los Angeles, California 90022-0547 Phone: (323) 722-4760 FAX: (323) 721-1851

> Ship To: 537*9 B/E AEROSPACE, INC CONSUMABLES MANAGEMENT 9835 NW 14TH ST MIAMI, FL 33172 UNITED STATES OF AMERICA

Freight:

Terms: NET 60

Order Date Order #	Cust PO	Ship Via:	Weight Pkgs #
04-16-14 59672	OTKP09	SEE BELOW	

In Item		sell	sell Qty To	Stk	Bin	Stock Qty		
No Number	Description		\dots Ship \dots		Loc	To Ship	Qty/UM	

Allocated: 08-07-14

Printed: 08-07-14 08:04:12



A TriMas Company


MANUFACTURER'S INSPECTION REPORT

3423 South Garfield Avenue • P.O. Box 6847 • Los Angeles, California 90022-0547 • Phone: (323) 722-4760 • FAX (323) 721-1851

Assy Date of Man	dification: MA	AF3000	Inspecti	on Lot Size:	726	Rev: Lot No:	C043115A	
Component Spec. Date of Manufact	Lot No. Heat No.	Alloy veri	Chem fication has Jan. 01, 2001	ical Composit been performe	ion d on all comp	onents with DO	М	
AMS4928/AMS4967 DOM: 06/03/14	C043115A pVD2622	Al: 6.03 Y: <.001	V: 4.03 Ti: BAL	Fe; .16	0: .14	C: .020	N: .006	
Test			Mechani	cal Test Resu	lts			·
Hydrogen ppm	25.6							
	YMAN COMPANY					·		

We hereby certify that the products identified herein were manufactured, inspected and accepted in accordance with the procurement specification including dimensional, non-destructive, metallographic and installation inspections, as applicable.

This report is prepared accordance with the requirements of the procurement specification. It is confidential and is submitted as a service to our customer. No part may be published without the written consent of an authorized representative of Monogram Aerospace Pasteners





CERTIFIED TEST REPORT

Customer:

MONOGRAM AEROSPACE FASTENERS

3423 SOUTH GARFIELD AVENUE LOS ANGELES, CA 90040-3103

Heat No:

Melting Source:

Work Order No:

PVD2622

PERRYMAN COMPANY

077726

Date: Weight:

Customer Order No:

128519

04-02-14

Product: Condition: TI-6AI-4V .165/.166" DIA. 3X COIL **ANNEALED 1400 F - 2 HOURS**

Specification:

Customer Order Date:

MMS 620 REV. K, AMS 4928T

Part No:

RMC4006

AMS 4967K

Chemistry: Wt %

ASTM E 1447: Post processing Hydrogen Determination

H: .0017

Metallographic Examination:

ASTM E 407:

Tensile

Strength

ksi

147.2

Microstructure - Equiax alpha-beta

ASTM E 407:

Surface Contamination -

No alpha case

Mechanical Properties:

Condition

Tensile Results - ASTM E8

Reduction .2% Yield Elongation 4D Of Area Strength ksi % 127.9 18

13

Solution treated and aged

1750 F - 1 hour - WQ 1000 F - 4 hours - AC

Annealed 1400 F - 2 hours

180.2

164.5

54

Slace 01/04/14

MAF LAB NUMBER

DFAR compliant to sections 252.225.7002,252.225.7008, and 252.225.7009.

This is to certify that all test results conform to the specifications listed above and that all tests required were performed by Perryman Company. Attached is a copy of the Ingot Chemistry.

The test results relate only to the lots tested and are contained in the records of Perryman Company. The Certified Test Report cannot be reproduced except in full, without written approval.

> Zachary S. Dragan **Laboratory Manager**



Perryman company ...

625 Technology Dr., Coal Center, PA 15423 USA phone: 724-746-9390 Fax: 724-746-9392 **CERTIFICATE OF TES** For TITANIUM INGOT

WORK ORDER 013111

HEAT NUMBER PVD2622

Perryman Company 213 Vandale Dr Houston, PA 15342

PCS QUANTITY 12425 Lbs 1 DESCRIPTION Grade: Ti6AI/4V Size: 30" Form: Ingot SPECIFICATION CAPABILITY P-101 Rev 5 Chemistry (WT%) Top Rin В Н Cu Pd Y Si Al C Fe <.001 0 <.002 <.001 .0004 <.001 .019 .005 4.03 6.03 .16 .006 .020 .14 Chemistry (WT%) Bottom Ru В н Pd Y Si Cu Al O N C Fe <.001 <.001 .0005 <.001 < .002 .018 .004 .15 6.09 4.00 .008 .019 .15 Comments

Melting Process:

EBCHR-VAR

Calculated Beta Transus T/B: 1805F/1813F

Calculated Beta Transus T/B C: 985C/989C

Residual Elements, total < .3% Residual Elements, each < .1%

Balance Titanium.

Melted in the United States of America.

The material is free of radioactive and mercury contamination.

Oxygen/Nitrogen tested in accordance with ASTM E1409.

Carbon tested in accordance with ASTM E1941.

Hydrogen tested in accordance with ASTM E1447.

B, Y, Pd, Ru tested BY ICP. Metallics by Spark-AES.

MAF LAB NUMBER

Materials Testing Laboratory

Page 1 of 1

This material conforms to the chemistry and quality system requirements of the specifications referenced. The results relate only to the fot tested and the results are contained in the records of Perryman Company.

The certificate of test cannot be reproduced except in full without the written approval of the laboratory, and the recording of false, fictitious, or fraudulent statements or entries on this document may be punished as a felony under federal law.

Terrance J. Marth Laboratory Supervisor

Warehouse 2: Parts Falling below a 6 Month Trend Quantity

2MAFFF-V06-05

STOCK